

axess

Lifts for life



axess 

A3 Low Rise Vertical Platform Lift

The A3 Platform Lift has the smallest footprint of our vertical platform lift range. A platform of 1100mm x 1400mm (wheelchair user & attendant) only requires a floor space of 1300mm x 1550mm.

The A3 is a comfortable, cost effective solution for low medium rise applications. Providing safe and smooth travel for all passengers but particularly those with impaired mobility.


Available in range of finishes to compliment its surroundings, the A3 can be installed for both internal & external use.

- Complies with National and European codes.
- Easy to install.
- Minimal building work required.
- Comfortable, convenient, safe and efficient.
- Comes complete within its own enclosure either solid or glazed.
- Hydraulic Platform Lift.
- Available in three platform sizes 900mm x 1250mm, 900mm x 1400mm or 1100mm x 1400mm.
- Can travel up to 5 metres.
- Easy to use hold to run controls.
- Internal or external use.
- Fully weatherproof.
- Automatic doors available.
- 85mm pit required or ramp supplied.
- Audible announcement.
- Landing and carriage floor indicators.

Technical Specifications

Platform size:	1250mm x 900mm, 1400mm x 900mm or 1400mm x 1100mm
Speed:	0.10m/sec or 0.15m/sec
Power Requirement:	1 phase, 240 volts 13 amp
Travel Distance:	5m maximum
Rated Load:	300Kg standard or 400kg special
Enclosure:	1400mm x 1100mm, 1550mm x 1100mm or 1550mm x 1300mm
Recess (pit):	85mm or ramp provided
Headroom:	Max 2200mm
Configuration:	Single - through - adjacent
Doors:	Gate or full height glazed or Fire rated
Controls:	Constant pressure push buttons or joystick







Axess 2 Ltd, Unit 7 Deanfield Drive, Link 59 Business Park, Clitheroe, BB1 7QJ

Tel: 01200 405005
Fax: 01200 405006
Email: enquiries@axess2.co.uk

www.axess2.co.uk