



1m Independence Steplift

1m Independence Steplift

the next generation in elegant access solutions

The 2-piece system Independence Steplift from Axess 2 continues to provide strength and modern aesthetics with a host of new and improved features. Now a more extensive range offering a variety of platform sizes, entry configurations and bespoke options to suit your environment.

3 PLATFORM SIZES

740mm Standard*

(DDA compliant)

800mm*

(Part M Compliant platform
for through entry)

1100mm*

(Part M Compliant platform
for adjacent entry)

* Indicates clear access width

KEY FEATURES AND BENEFITS

- > Pump unit is integrated within the gate offering reduced vandalism risk
- > No need for separate control unit or pump location
- > Easy access to pump for servicing
- > Easier and faster to install
- > Simpler to use
- > More compact
- > New stylish protective bellows - more rigid/durable
- > Improved IP 67 rated switching (waterproof) with easy service access
- > Easy to use emergency lowering system

5 CONFIGURATIONS

Through Entry

Adjacent Entry/Exit

Bridging Steps

Choose from 1, 2 or 3 steps
(max. travel of 750mm)

Pit Mounted

(Requires 90mm pit for use
when space is restricted)

Bespoke

Standard Features

- > Travel up to 1m
- > Maximum capacity of 250 kg
- > Suitable for internal or external use (Weatherproof)
- > Battery operated hydraulic power with mains back-up
- > Key operated call stations
- > Easy installation and low maintenance
- > Can be relocated
- > Full platform safety edge as standard
- > Auto reverse safety system on ramp
- > Locking system to secure ramp in UP position
- > Designed to BS 6440, TUV and CE approved

Optional Features

- > Interlocking gate
- > Automatic gate open and close
- > Choose from alternative RAL colours
- > Vandal guards on call stations
- > Customised control options
- > Bespoke designs and finishes

Through Entry:

Models	Internal Dimensions	External Dimensions
740mm Standard	740 x 1400	975 x 1995
800mm	800 x 1400	1065 x 1995
1100mm	1100 x 1400	1355 x 1995

All measurements are in millimetres (mm)



Adjacent Entry:

Models	Internal Dimensions	External Dimensions
740mm Standard	860 x 1400	135 x 1835
800mm	950 x 1400	1225 x 1835
1100mm	1240 x 1400	1515 x 1835

All measurements are in millimetres (mm)



Bridging Steps:

Models	Internal Dimensions	External Dimensions
740mm Standard	740 x 1400	TBA
800mm	830 x 1400	TBA

All measurements are in millimetres (mm)



Pit Mounted:

Models	Internal Dimensions	External Dimensions	Pit
740mm Standard	740 x 1400	995 x 1580	80
800mm	800 x 1400	1085 x 1580	80
1100mm	1100 x 1400	1375 x 1580	80

All measurements are in millimetres (mm)



NOTE: Photographs are for guidance only.
Lift style and finishes are dependant on model and optional features selected.



axess 
Lifts for life

Axess 2 Ltd, Unit 7 Deanfield Drive, Link 59 Business Park, Clitheroe, BB1 7QJ

Tel: 01200 405005
Fax: 01200 405006
Email: enquiries@axess2.co.uk

www.axess2.co.uk